


Connections / Bimetallic connectors

10412 TBE/D

DIN 46329 tinned aluminium cable lug

TBE/D bimetallic cable lugs are manufactured from aluminium bars with a purity of 99.5% or higher. The entire cable lug surface features a tin-plated finish applied by electrolytic plating. Neutral grease is applied internally to prevent aluminium oxidation. Designed for underground cable connections.

According to DIN 46329 standard.



Code	Ref.	Section (mm ²)	Screw \varnothing	Dimensions (mm)									Kg x100	Bag	Box
				a	c	d1	d2	d3	d4	e	l	s			
115351	TBE/D-25/8	25	8	30	15.5	6.8	8.4	25	12	2	50	4	-	1	-
115352	TBE/D-25/10		10	30	15.5	6.8	10.5	25	12	2	50	4	-	1	-
115353	TBE/D-25/12		12	30	15.5	6.8	13	25	12	2	50	4	-	1	-
115354	TBE/D-35/8	35	8	42	15.5	8	8.4	25	14	2	62	4	-	1	-
115355	TBE/D-35/10		10	42	15.5	8	10.5	25	14	2	62	4	-	1	-
115356	TBE/D-35/12		12	42	15.5	8	13	25	14	2	62	4	-	1	-
115357	TBE/D-50/8	50	8	42	15.5	9.8	8.4	25	16	2	62	5.5	-	1	-
115358	TBE/D-50/10		10	42	15.5	9.8	10.5	25	16	2	62	5.5	-	1	-
115359	TBE/D-50/12		12	42	15.5	9.8	13	25	16	2	62	5.5	-	1	-
115360	TBE/D-70/8	70	8	52	15.5	11.2	8.4	25	18.5	2	72	5.5	-	1	-
115361	TBE/D-70/10		10	52	15.5	11.2	10.5	25	18.5	2	72	5.5	-	1	-
115319	TBE/D-70/12		12	52	15.5	11.2	13	25	18.5	2	72	5.5	-	1	-
115363	TBE/D-95/10	95	10	56	15.5	13.2	10.5	25	22	2	75	6	-	1	-
115364	TBE/D-95/12		12	56	15.5	13.2	13	25	22	2	75	6	-	1	-
115366	TBE/D-120/10		10	56	20	14.7	10.5	30	23	2	80	7.5	-	1	-
115367	TBE/D-120/12	120	12	56	20	14.7	13	30	23	2	80	7.5	-	1	-
115368	TBE/D-120/16		16	56	20	14.7	17	30	23	2	80	7.5	-	1	-
115369	TBE/D-150/10		10	60	20	16.3	10.5	30	25	2.5	90	8	-	1	-
115370	TBE/D-150/12	150	12	60	20	16.3	13	30	25	2.5	90	8	-	1	-
115371	TBE/D-150/16		16	60	20	16.3	17	30	25	2.5	90	8	-	1	-
115372	TBE/D-185/10		10	60	20	18.3	10.5	30	28.5	2.5	91	8	-	1	-
115339	TBE/D-185/12	180	12	60	20	18.3	13	30	28.5	2.5	91	8	-	1	-
115373	TBE/D-185/16		16	60	20	18.3	17	30	28.5	2.5	91	8	-	1	-
115374	TBE/D-240/12		240	12	70	24	21	13	38	32	2.5	103	11	-	1
115375	TBE/D-240/16	16		70	24	21	17	38	32	2.5	103	11	-	1	-
115376	TBE/D-240/20	20		70	24	21	21	38	32	2.5	103	11	-	1	-
115349	TBE/D-300/12	300	12	70	24	23.3	13	38	34	2.5	103	13	-	1	-
115377	TBE/D-300/16		16	70	24	23.3	17	38	34	2.5	103	13	-	1	-
115378	TBE/D-300/20		20	70	24	23.3	21	38	34	2.5	103	13	-	1	-
115379	TBE/D-400/12	400	12	73	24	26	13	38	38.5	4	116	14	-	1	-
115380	TBE/D-400/16		16	73	24	26	17	38	38.5	4	116	14	-	1	-
115381	TBE/D-400/20		20	73	24	26	21	38	38.5	4	116	14	-	1	-
115382	TBE/D-500/12	500	12	79	24	29	13	44	44	5	122	15	-	1	-
115383	TBE/D-500/16		16	79	24	29	17	44	44	5	122	15	-	1	-
115384	TBE/D-500/20		20	79	24	29	21	44	44	5	122	15	-	1	-